



TONOMETER

THE RIGHT MEASUREMENT,  
RIGHT AWAY

See your confidence in a single, automated IOP  
measurement with ActiView™ Positioning System.







## Measure effortlessly with Tono-Vera® Vet

The all-new **Reichert® Tono-Vera® Vet Tonometer** featuring the advanced, patented **ActiView™ Positioning System**, quickly guides you to the apex of the cornea, giving you confidence in your intraocular pressure (IOP) readings. Tono-Vera Vet automatically measures when aligned, providing a more objective and repeatable result in just one measurement.

Designed with the veterinary professional in mind, the innovative Tono-Vera Vet system, which includes a base that stores and dispenses Ocu-Dot® Tonometer Probes, is a perfect solution for every practice. Tono-Vera Vet is the only veterinary tonometer with Bluetooth®, making transferring data easier than ever.

### **Reichert® is Technology, Tradition, and Trust**

With a tonometry heritage dating back over 75 years, Reichert continues to pave the way for trusted and reliable animal IOP with the new Tono-Vera Vet Tonometer. Utilizing rebound tonometry technology without the need for topical anesthesia, this innovative tonometer is brought to you by the people who are passionate about eye care.





Reichert  
AMETEK

16.3  
OD

AUTO

17.2  
OS





## A more objective measurement with ActiView™

ActiView Positioning System features a full color view of the eye combined with intuitive, interactive alignment prompts to guide the user precisely to the center of the cornea every time. When proper alignment is achieved, Tono-Vera Vet automatically measures, providing you with a result in just a single measurement. Intuitive color-coded rings around the final IOP result indicate the reliability of the measurement.

**All the important information, always on display.**

### TONO-VERA VET HAS A COMPREHENSIVE YET SIMPLE USER INTERFACE

- 1 Selected Species
- 2 Battery Status
- 3 Bluetooth® Connectivity
- 4 ActiView Target
- 5 Probe Angle Indicator
- 6 Number of Measurements
- 7 Measure Mode
- 8 OD (Right Eye)
- 9 Access to Menu
- 10 OS (Left Eye)
- 11 Select OD/OS Buttons





## **Tono-Vera® Vet is as innovative as it is thoughtfully designed.**

### **LIGHTWEIGHT, ERGONOMIC, AND CALIBRATION-FREE**

The perfectly placed operator-facing display and lightweight, symmetrical design allow for comfortable left or right-handed operation. Intuitive button placement provides easy access to all settings and measurement functions. Always ready to measure with no routine calibration required.

### **RECHARGEABLE, STANDARD AA, OR BOTH**

Choosing Tono-Vera Vet Rechargeable Model means fewer batteries in landfills and a device that is always ready to use. Tono-Vera Vet AA Model goes anywhere and allows for a quick and easy battery change with no additional tools required. Rechargeable and AA battery packs are interchangeable, providing ultimate flexibility.

### **A BASE FOR EVERYTHING & EVERYTHING IN ITS PLACE**

The included multi-purpose Tono-Vera Vet Base is the perfect solution for docking and charging\* your device while also conveniently storing and dispensing Ocu-Dot Tonometer Probes.

### **READY FOR THE ROAD**

When your patients can't come to you, bring Tono-Vera Vet to them in the durable, lightweight, and protective Carry Case.

### **ELECTRONIC HEALTH RECORD READY**

Tono-Vera Vet's unique Bluetooth capability allows for software updates and seamlessly exports final IOP results to a computer.

## **Ocu-Dot® Tonometer Probes**


Specially designed for Tono-Vera Vet Tonometers, Ocu-Dot Tonometer Probes are single-use, individually packaged for fast and easy loading, and come in boxes of 100 count.

\*Rechargeable model only.



## Improving eye care through continuous innovation.

We at Reichert® stand behind our products by backing up Tono-Vera Vet Tonometer with a two-year warranty.

Tono-Vera Vet is designed, engineered, and assembled in the USA. 

### SPECIFICATIONS

Dimensions: 19.8 x 6.6 x 3.0 cm (7.8 x 2.6 x 1.2 in)

Display Dimensions: 2.8 x 2.8 cm (1.1 x 1.1 in)

Weight (without batteries): 113.4g (4.0 oz)

Measurement Range: 1-99 mmHg

Measurement Distance Range: 6mm (±2mm)

Power Source: Lithium-ion or Four AA Batteries

Species: Dog, Cat, Horse, Rabbit

Languages: English, German, French, Spanish, Italian, Portuguese



Scan here to learn more or visit [reichert.com/tonoveravet](https://reichert.com/tonoveravet)



*passionate about eye care*

